




Building Vision for Business

HALCON is for customers who want

- a comprehensive set of technologiesto rely on experience
- to benefit from free support
- flexibility in their choice of hardware
- to protect their investment



Professional Software for all Machine Vision Applications



FOOD, HEALTH CARE & LIFE SCIENCES

Surface and print inspection, fill level measurement, packaging inspection, OCR, bar code and data code reading: HALCON features robust and reliable solutions for all applications.



AUTOMOTIVE & ROBOTICS

Determine the 3D pose of objects, extract 3D data for bin picking and robot path planning: HALCON's unique 3D vision techniques open new possibilities for numerous automotive and robotics applications.



PACKAGING

Quality control, completeness inspection, identification: HALCON offers outstanding methods in all areas of packaging.




MEDICAL IMAGE ANALYSIS CT, MR, X-ray – no matter what source and resolution: HALCON processes 8/16/32/64 bit integer and float images.










Used in many industry sectors

Aerospace and space travel Agriculture and food Automobile parts and manufacturers Ceramics Chemicals Electric components and equipment Glass production and processing Health care and life science Iron, steel, metal Machinery Medical supplies Mining Packaging Paper products Pharmaceutical Photogrammetry and remote sensing Precision engineering and optics Printing Railroads and trains Retail Rubber, synthetic material, foil Semiconductors Shipbuilding Solar, renewable energy, recycling Surveillance and security Telecommunication Transport, logistics, trade Wood and timber



MACHINE VISION & INDUSTRIAL INSPECTION

Quality inspection, robot vision, and material flow control: HALCON offers speed, accuracy, and robustness for a wide variety of applications.

BOARD, WAFER & DIE INSPECTION PCB, BGA, AOI/AXI, ball-wedge and wire

bonding machines: HALCON recognizes defects with an accuracy better than 1µm.

COMPLETENESS INSPECTION

Insufficient soldering paste, missing diodes, rotated components: HALCON detects all incomplete or incorrectly positioned parts within milliseconds.

POSITIONING & ALIGNMENT

Board alignment, fiducial localization: HALCON reliably finds objects with an accuracy better than 1/20 pixel even if they are partially occluded.

SURFACE INSPECTION

Different materials, even partially specular reflecting surfaces, as well as different error classes like holes, wrinkles, edge cracks, inclusions, contaminants, coating voids, scratches, spots, and dents: HALCON's advanced filtering techniques are tailored to your needs.

QUALITY ASSURANCE

Quality assurance of bar codes and data codes: HALCON grades in compliance with a large variety of industry standards. For more information please see www.halcon.com/codes.

PRINT INSPECTION

Labels and forms printed on paper, plastic, or metal by any kind of printer: HALCON automatically compares trained patterns with your prints.

IDENTIFICATION

Identify and read bar and data codes and perform OCR: HALCON reads a single character in less than 0.1 ms. In addition, HALCON's sample-based identification (SBI) allows the identification of objects based only on visual features.


MEASURING

HALCON's superior edge detection and contour analysis techniques, in combination with powerful 3D camera calibration, extends measurement accuracy to the entire field of view.

















Leading-Edge Techniques and Optimal Performance

BLOB ANALYSIS

Hysteresis, local, binary, and standard thresholding, plus more than 20 additional segmentation operators; area, orientation, and 50 more shape and gray value features: HALCON performs blob analysis within milliseconds.

MORPHOLOGY

Erosion, dilation, opening, and closing with arbitrary structuring elements: HALCON excels with the fastest and most comprehensive implementation of morphological algorithms.

BAR CODE & DATA CODE READING

HALCON reads all common bar codes and a wide variety of data codes (e.g., ECC 200, QR, Micro QR, Aztec, GS1, and PDF417). Many of these can be read despite extremely small size, data codes even with a damaged finder pattern or violated quiet zone, while bar codes are still read with significant overexposure, print growth, and even partial occlusion. For more information see www.halcon.com/codes.

OCR & OCV

Train, classify, or verify your font using HALCON's powerful classifiers. Many pretrained fonts from different application areas (some based on deep learning technology) lead to highest recognition rates "out of the box". Combined with HALCON's automatic text reader, performing OCR has never been easier.

3D VISION _ 3D CALIBRATION


Calibrate internal and external camera parameters to perform highly accurate metric measurements, e.g., up to 1 μ m in a field of view of 10 mm – also with line scan and telecentric tilt cameras. Use HALCON's hand-eye calibration for visionguided robot applications, like pick-and-place.

3D VISION _ 3D OBJECT PROCESSING

With HALCON's 3D object model various tasks can be performed, such as 3D registration, 3D object processing, as well as 3D object recognition and surface comparison.




Processing of partially overlapping blobs.



Extract blobs with subpixel accuracy.




Distinguish touching objects.



Detect contour defects.



Reading flawed data codes.




Reading strongly blurred bar codes.




Read dot prints on complex background.




HALCON provides a syntactic and lexiconbased autocorrection.



Distances on the caliper can be measured in the presence of perspective distortions.



Errors are detected using 3D surface inspection.



Hand-eye calibration enables robotic grasping applications.



A 3D object model is segmented into connected components.

7

DEEP LEARNING

HALCON comes with various pretrained Convolutional Neural Networks (CNNs), that have been highly optimized for industrial applications. While training is done on a GPU, inference is possible on GPUs as well as CPUs.

HALCON enables you to classify whole images, detect objects within images with bounding box accuracy, or also perform pixel-precise semantic segmentation. Its seamless integration into the HALCON library makes this technology a valuable addition to the most comprehensive toolset on the vision market. For more information see www.halcon.com/deep-learning.

MATCHING

HALCON's superior subpixel-accurate matching technologies find objects robustly and accurately in real-time. Images with 8 or 16 bits, as well as color or multi-channel images, can be processed regardless of rotation, tilt, local deformation, texture, scale, partial occlusion, or nonlinear illumination changes. Objects can be trained from images or from CAD-like data. Moreover, HALCON includes numerous variations of this technology, e.g., to locate objects that are composed of multiple parts that can move with respect to each other, or methods that are very fast or particularly robust against defocus, texture, or surface deformations.

3D MATCHING SHAPE-BASED 3D MATCHING

Recognition and 3D pose determination of arbitrary 3D objects: HALCON's cutting-edge 3D matching determines the position and orientation of 3D objects represented by their CAD model.

3D MATCHING SURFACE-BASED 3D MATCHING

HALCON's surface-based 3D matching is optimized to find objects with arbitrarily shaped or even deformed surfaces by combining 3D point cloud data and edge information from distance images.

MEASURING _ 1D MEASURING

Measure edges along lines or arc segments: HALCON's powerful algorithms perform subpixel-accurate measurements in less than a millisecond. In combination with gray-value calibration even non-linear gray-value responses can be compensated to achieve highest accuracy.

MEASURING _ 2D MEASURING

Fitting an ellipse to a subpixel contour output of an edge filter allows you to achieve highest precision. HALCON's metrology model automatically extracts contour data from images with more than one channel, e.g., from color images.

MEASURING _ 3D MEASURING

HALCON's outstanding algorithms reconstruct the disparity, distance images, or 3D coordinates of surfaces with many different methods: binocular, multi-view, and photometric stereo, sheet of light, and depth from focus. The 3D pose of circles and rectangles can also easily be determined with only one camera. The segmentation and fitting of 3D primitives allows accurate measurement of, e.g., cylinders, spheres, and planes.


HALCON's local deformable matching finds objects with surface deformations.

Surface-based 3D matching with multi-view stereo.




Inspect the distances between the blades of a fan.












HALCON's pixel-precise


semantic segmentation.













More than Software

Worldwide Extensive Support and Training

- Free application evaluation, also prior to purchase
- Free worldwide support for HALCON users by MVTec's distributors
- Worldwide trainings, also individually tailored to the customer's needs
- Easy maintenance by free web download of newest software releases

Comprehensive Documentation and Fast Development

HALCON offers documentation for every user and level – ranging from the "Quick Guide" to the "Solution Guide". Numerous example programs for every application area, which can be found with an easy-to-use browser, serve as starting point for own applications. Furthermore, HALCON offers a highly interactive Integrated Development Environment (HDevelop) for machine vision.

Category	A Find:			
 Application area Industry 	Example	Short Description	^	
Ansopse and space true it Agriculture, find Automobile parts and manufacturers of the approximation of the approximation Description of a constraint Galaxy and the scheme Teacher and the scheme Parts provided the scheme Parts provided the scheme Parts provided and and and and Photogrammetry and reacher and and photogrammetry and and and and and and and photogrammetry and and and and and and and and photogrammetry and and and and and and and and and photogrammetry and	measure_ball_bond.hdev	Inspect the position of ball bonds on a pad		
	measure_bga_dff/hdev	Reconstruct the height of a solder ball on a BGA using		
	measure_circuit_width_lines_gauss	Measure the width of pdb tracks		
	measure_ic_leads.hdev	Measure leads of an IC		
	measure_pads_subpix.hdev	Measure the dimensions of pads on a die		
	measure_pin.hdev	Measure pins of an IC		
	measure solder paste dff.hdev	Reconstruct the solder paste on a BGA pad using dep		
	mosaicking.hdev	Use mosaidking to merge partial images of a BGA into		
	mosaicking, pyramid.hdev	Combine images into a mosaic image		
	oor wafer semi_font.hdev	Read the ID numbers of wafers		
	pdb inspection.hdev	Find defects on a PCB using grav-value morphology		
	phase correlation fft.hdev	Compute the translation between two images using p Locate 1C on a locard and measure on distances		
	on measure board.hdev			
Retail	process shape model.hdev	Create a model ROI by modifying the result of inspect		
Rubber, synthetic material, fol	rectangularity.hdev	Calculate the rectangularity of regions Extract solder by depth using multiple focus levels		
Semiconductors Solar, renewable energy, recycling Surveillance and security Transport, logistics, trade Wood and timber	resistor.hdev			
	segment ball bond lead frame.hdev			
	segment_wedge_bonds.hdev	Inspect wedge bonds	~	

Examples Browser

Protection of Investment

Compatibility is an important factor for protection of investment. The machine vision software in which you invest today, must still be suitable tomorrow - wherever the advances in technology lead us and however the requirements of individual systems will change. In order to meet all needs, HALCON supports a great amount of image acquisition devices as well as a large variety of operating systems and programming languages. HALCON naturally provides maintenance and availability of a version for years, also after purchase. Every new HALCON version is released with many technical innovations as well as improvements and enhancements in all areas - including documentation and examples.



Solution Guide





Reliability

HALCON is proven worldwide in hundreds of thousands of installations. The sophisticated algorithms are developed by MVTec's engineers, who have more than 30 years of experience in machine vision. HALCON is concentrated core competence – developed by the only software manufacturer worldwide purely developing software for machine vision.

Unique Technologies

HALCON offers the full set of standard machine vision technologies. Beyond that, HALCON offers many unique features like a comprehensive set of deep learning technologies, various matching techniques, or different identification techniques like sample-based identification. Please find a comprehensive list on www.halcon.com/unique.

Speed

HALCON is implemented for highest performance, e.g., by actively exploiting multi-core platforms and special instructions sets like AVX2 and NEON, as well as GPU acceleration. For more information please see www.halcon.com/speed.


HALCON Editions

Progress	Steady
 Receive new HALCON features as soon as they are ready for the market New version ~ every 6 months Subscription based (automatic yearly renewal, access to all features released within subscription period) Support during subscription period Maintenance through regular new releases 	 Receive new HALCON features with the next major version New release ~every 2 years Regular purchase (one time payment) Lifelong free support Regular maintenance updates

For more information see www.halcon.com/editions.

Automatic Operator Parallelization (AOP)

Multi-core and multiprocessor computers help vision systems to increase their speed considerably. Since the year 2000, HALCON offers an industry-proven automatic operator parallelization that actively supports this speed enhancement. HALCON automatically parallelizes operators when started on a multi-core computer by distributing the data, such as images, to multiple threads, one for each core. For more information see www.halcon.com/aop.





HALCON is for developers who want


- the power of rapid prototyping
- support of a large variety of operating systems
 flexibility in programming languages
 to protect their code

- to develop also on non-standard platforms


HDevelop Integrated Development Environment (IDE)

HDevelop is HALCON's highly interactive programming environment. Running on Windows, Linux, and macOS, it enables you to develop image processing solutions fast and efficiently. This can be done even while acquiring images from an image acquisition device. There is a multitude of graphical tools for data and image inspection. The HDevelop GUI is available in various languages.


- The dialog "Browse HDevelop Example Programs" lets you select examples via topics and categories. No matter in which industry you are engaged, you will find appropriate examples out of more than 1000 with three mouse clicks.
- Programming becomes very easy: syntax checks, suggested values for parameters of operators, suggested successors, and alternative operators reduce the chances of programming errors. Developers can also easily bundle various complex data types (e.g., an image, corresponding ROIs and parameters) into a single dictionary. This helps to structure programs when, e.g., passing many parameters to a procedure. Syntax highlighting, automatic highlighting of matching code elements, and an integrated online help with full-text search within the full text editor help debugging and maintaining complex applications. Additionally, HDevelop can display detailed information on important handle variables, allowing users to easily inspect the current properties of complex data structures.
- The benefits of multi-core architectures can easily be exploited: HDevelop supports concurrency through parallel programming, even during export to C, C++, and .NET languages like C# or VB.NET.
- HDevelop enables easy code sharing between developers: code can be organized into procedures, which can also be stored as passwordprotected external procedures and organized in procedure libraries.
- HDevelop includes tools for real-time interactive inspection of image properties to obtain parameter settings for your program. Gray and feature histograms, as well as feature inspection and an ROI manager, allow to quickly select or create blobs in your images and generate code with a single click. For quick and intuitive visualization, there is a line profile and a zooming display. Breakpoints, detailed error messages, bookmarks, and procedures make development smooth.
- Get immediate feedback on the execution of an operator and let HDevelop visualize iconic variables, e.g., as 3D plots or contour lines. The HDevelop profiler tool helps analyzing each operator's execution time.
- Thanks to the profound experience HALCON is based on, HDevelop is tailored to the needs of machine vision applications and provides a GUI that is optimized for usability.



Feature Histogram




Feature Inspection




Function Inspect




use help for programming in the full text editor.






Gray Histogram

🖪 Attributes auto 🔹 🔳 🕢 Alpha 0.90 🕈 📜 110 🌞 🔬 📲 😧 51833, 1.28997, 236.546, 333.62, 15.6754,0





3D Visualization

Online Help

Line Profile

Working with **HDevelop**

HDevelop contains assistants for common subtasks. The graphical user interface of those HDevelop assistants can be used to interactively set up and configure your solution and insert the corresponding code sequence into the HDevelop program on demand.

Image Acquisition Assistant

The image acquisition assistant simplifies the selection, initialization, and configuration of hundreds of industrial cameras and frame grabbers. The assistant allows to preview images and to interactively control all device-specific parameters. After adapting the parameters to your needs, the assistant inserts the corresponding code into the program on demand.

Measure Assistant

The HDevelop measure assistant is a front-end to HALCON's 1D measuring. It finds edges and measures distances between edges along a preselected line or circular arc in an image. On demand, the assistant inserts the corresponding code into the program.

Matching Assistant

The matching assistant is a powerful tool specifically designed for the interactive use of HALCON's shape-based matching, correlation-based matching, descriptor-based matching, and deformable matching. It assists in finding parameter settings for object recognition, as well as matching applications, and inserts the suitable code into the program on demand.

OCR Assistant

The HDevelop OCR assistant allows interactive use of HALCON's powerful OCR classification. It helps to determine parameter settings, train custom OCR classifiers, verify OCR classifiers and inserts the corresponding code into the program on demand.

Camera Calibration Assistant

The camera calibration assistant helps the user to implement the necessary calibration of the camera easily and accurately in order to correct lens distortions from images and to be able to measure objects in 3D world coordinates. After setting the parameters, the assistant inserts the suitable program code into the HDevelop program on demand.

le Cali	bration (Code Genera	ition H	lelp			
> 📙	<i>1</i> 8 🖬	0					
Setup	Calbrati	on Resu	ts C	ode Generati	on		
 Calibr 	ation Stat	us					
itatus	Calibrat	ion successfi	al 👘				
dean Erro	0.07745	525				pixels	
 Came 	ra Parame	ters					
cell Width	(Sx)	8.30021			μm		Save
ell Heigh	t (Sy)	8.3			μm		
Focal Length 18.7153		mm					
арра		-307.228		1/m ²			
Center Co	olumn (Cx)	m (Cx) 638.73		pixels			
Center Ro	w (Cy)	470.679		pixels			
mage Wi	dth	h 1292		pixels			
Image Height 964		pixels					
 Came 	ra Pose						
-0.109	515		nm	Rotation X	0.333417	degrees	Save
0.4788	42]	nm	Rotation Y	0.406851	degrees	
Z 139.874 mm R/		Rotation Z	0.16287	degrees			
Origin	at Image (Corner					
✓ Displa	ay Results						

Camera calibration assistant - Showing results



Camera calibration assistant - Visualization

Programming with **HALCON**


HALCON offers various interfaces to access all of HALCON's more than 2100 powerful operators from programming languages like C, C++, and .NET languages like C# or VB.NET. HALCON's open architecture allows you to access defined data structures and thus to integrate HALCON with further software components such as a user interface or process control. HALCON also supports parallel programming, e.g., multithreaded programs. Thus, multiple threads can call HALCON operators simultaneously. All this, together with HALCON's inbuilt high-performance memory management, lets you concentrate on your application development and quickly come to a solution.

HALCON/.NET

In HALCON/.NET all HALCON operators and data structures are available as high-level classes, greatly simplifying the development of your application. HALCON/.NET can be used in .NET languages like C#, Visual Basic .NET, and C++. It can be used on Windows and with Mono also on Linux.

HALCON/C++

With HALCON/C++ you can access the whole functionality of HALCON based on a C++ class hierarchy. This enables you to develop programs that are very compact and easy to maintain. HALCON/C++ is available on Windows, Linux, and macOS.



HALCON variables can be inspected directly within Visual Studio

HDevEngine

HDevEngine – the "HDevelop Engine" – is a library that acts as an interpreter and lets you directly load and execute HDevelop programs and procedures from within your C++, C#, or Visual Basic application. The HDevEngine library export makes calling HDevelop procedures from C++ as easy and intuitive as calling any other C++ function. This allows you to change the vision part of your application without the need of compiling it.

Powerful Debugging

HALCON supports debugging efforts of software developers tremendously. Using HALCON's extension for Visual Studio, C++, and C#/.NET developers can inspect HALCON variables (tuples and iconic) directly within Visual Studio. When executing HDevelop procedures inside a C# or C++ application via HDevEngine, the machine vision part of the application can be debugged directly within HDevelop – even remotely – by connecting it with HDevEngine.

Protection of Know-how

HALCON secures the know-how of the software developer: code, which is saved in external or local procedures, as well as code of entire procedure libraries or programs can be secured with a password. Therefore, functionality can be shared without revealing the program code.

Platforms and Interfaces

HALCON Applications						
HDevelop	С	C++	C#	VB.NET	Delphi	
HDevEngine	e H	IALCON/C	HALCON/C	C++	HALCON/.NET	
	lmage	HALCON Processing	Library		Extension Packages	
	Imag	ge Acquisition Inter	face		I/O Interface	
Boards	Cameras	3D Cameras	DirectShow	TWAIN	I/O Devices	
Camera Link	CoaXPress	GenlCam	GigE Vision	USB3 Vision	OPC/OPC UA	

HALCON Architecture

The flexible architecture of HALCON ensures its compatibility with future developments, for example, the portability to other operating systems or the integration into new programming environments. This protects your investment in your applications.

Operating Systems

HALCON is available for standard PCs running Windows (32- and 64-bit), Linux (64-bit), and macOS.

Extension Packages

This unique feature allows you to integrate your existing or newly developed image processing algorithms into HALCON. Thus, you get a common view on all the image processing parts of your application and facilitate maintenance and future development. An open, extensively documented interface enables you to utilize the powerful internal data structures of HALCON.



Embedded Vision with HALCON

MVTec HALCON runs perfectly on embedded devices and thus enables innovative and high-performing embedded vision products, available on the market as bundles or standard software products. By default, HALCON is ready to be used on 32- and 64-bit Arm®-based platforms without further porting.

HALCON makes use of special acceleration technologies such as automatic operator parallelization, GPU acceleration, or the "NEON" instruction set extension, which can bring an enormous increase in performance on embedded platforms.

To optimize implementation, HALCON also supports all relevant interfaces, such as GigE Vision and Video4Linux for image acquisition or the OPC UA interface for communication with a PLC.

For latest information see www.embedded-vision-software.com

Image Acquisition Interfaces

HALCON includes a powerful software interface to provide a common view on different image acquisition devices, including line scan cameras, 3D cameras, and cameras with non-standard resolutions or more than 8 bits per pixel. A multitude of ready-to-use interfaces allow to easily connect to hundreds of industrial cameras and frame grabbers. In particular, HALCON supports all commonly used standards like GigE Vision, GenICamTL, and USB3 Vision.

For latest information see www.halcon.com/image-acquisition

Digital I/O Interfaces

HALCON includes a software interface for digital I/O. Thus, you can use various I/O devices directly with HALCON. Furthermore, HALCON provides ready-to-use interfaces to all PLC control systems using the OPC UA and the OPC Classic standards.













🐼 PC UA





The Company behind **HALCON**



MVTec Is Dedicated to Machine Vision Software



Mitglied Member






MVTec is the only software manufacturer worldwide purely developing software for machine vision. The company employs highly qualified experts for machine vision with more than 30 years experience in this technology. The passion for machine vision is the driving force of the entire MVTec staff, including the management, which personally stands behind the high quality of MVTec's products and services.

MVTec products are "Made in Germany", developed right at our competence center in Munich. The services and products are distributed worldwide by MVTec's extensive distributor network. In addition, MVTec, LLC, works out of Boston, MA (USA).

MVTec Actively Engages in Associations and Standardization Committees

MVTec shares its years-long experience with the machine vision community. Therefore, MVTec is a member of the Mechanical Engineering Industry Association (VDMA), Automated Imaging Association (AIA), and Embedded Vision Alliance.

Furthermore, MVTec is a driving force behind standardization processes to increase its customers' flexibility and to reduce development costs. For example, the standardization of image acquisition interfaces and protocols means a considerable added value, as no proprietary connections have to be developed and maintained any more. Therefore, MVTec is a long-term contributing member of the GenICam standard group, a logo member of the OPC foundation, and an active member of the GigE Vision and USB3 Vision Technical Committees.



MVTec Offers Customized Solutions

Besides offering high-end machine vision software, MVTec builds customized solutions – from consultancy, studies, and prototypes up to complete software solutions. Working closely with the customer, MVTec's solutions development team draws from decades of combined application development experience to deliver complete and cost-effective software solutions based on MVTec's standard products.

MVTec Is Part of a Global Network

From the beginning, MVTec has been a driving force of the machine vision community, networking closely with partners, customers, universities, and associations.

MVTEC IMAGE ACQUISITION PARTNER PROGRAM

In order to provide the best possible integration of hardware and software for the customer, MVTec cultivates close partnerships to a large number of suppliers of image acquisition devices.

MVTEC CERTIFIED INTEGRATION PARTNER PROGRAM

MVTec selects engineering companies, who realize their implementations with MVTec's software products. The companies in this program are qualified by their skills to create high-end and challenging machine vision applications in an outstanding way.

MVTEC CERTIFIED TRAINING PARTNER PROGRAM

MVTec strives to ensure highly qualified support and the best training for its products. For this, the company runs the MVTec Certified Training Partner Program for its distributors. Members of this program are trained by MVTec to give specific courses for its products to customers, all with a high level of proficiency.

Try HALCON FOR FREE!

Download HALCON and contact a distributor for a free evaluation license or use our free application evaluationservice.

www.halcon.com/now



What Is HALCON?

HALCON is the comprehensive standard software for machine vision with an integrated development environment (HDevelop) that is used worldwide. It enables cost savings and improved time to market. HALCON's flexible architecture facilitates rapid development of any kind of machine vision application.

What Is Included?

MVTec HALCON provides outstanding performance and a comprehensive support of multi-core platforms, special instruction sets like AVX2 and NEON, as well as GPU acceleration. It serves all industries, with a library used in hundreds of thousands of installations in all areas of imaging like blob analysis, morphology, matching, measuring, identification. The software provides the latest state-ofthe-art machine vision technologies, such as comprehensive 3D vision and deep learning algorithms.

Why HALCON?

HALCON secures your investment by supporting the operating systems Windows, Linux, and macOS. The full library can be accessed from common programming languages like C, C++, and .NET languages like C# or VB.NET. HALCON guarantees hardware independence by providing interfaces to hundreds of industrial cameras and frame grabbers, in particular by supporting standards like GenICam, GigE Vision, and USB3 Vision. By default, MVTec HALCON runs on Arm®-based smart cameras and other embedded vision platforms. It can also be ported to various microprocessors/DSPs, operating systems, and compilers. Thus, the software is ideally suited for the use within embedded systems.

Your Distributor

